

2022 PRICE LIST CATALOG



WWW.INCEDOGAN.COM.TR

INCEDOGAN@INCEDOGAN.COM.TR



İZMİR

1202/1 sok. No: 81/A EGE TİC. MRKZ.- 35110
YENİŞEHİR +90(232)457 64 23



İSTANBUL

Mehmet Akif Mah. Öztekin Cad. No:24/A
ÜMRANIYE +90(216)999 06 57



INCEDOGAN@INCEDOGAN.COM.TR

WWW.INCEDOGAN.COM.TR

INDEX

- 3** Polyester Sand Filters
- 14** Pumps
- 17** Pool Cleaning Equipment
- 25** Pool Chemicals
- 27** Ladders
- 31** Pool Waterfalls
- 33** Corner Pieces & Grates
- 35** Nozzles
- 37** Pool Lighting
- 41** PVC Fast Adhesive





POLYESTER SAND FILTERS



DST DREAM POLYESTER SAND FILTERS



- DST DREAM POLYESTER SAND FILTERS are made of a laminated polyester and reinforced with glass fibers.
- Filters are manufactured in 12 different diameters and they have 30 different color options.
- A special production technique is used to prevent density differences on the filter surface.
- Maximum Working Pressure 1,96 bar and Test Pressure is 3,92 bar.
- Maximum Working Temperature 40 °C. DST DREAM SAND FILTER bodies have a five-year warranty

CODE	DESCRIPTION	FLOW (M3/H/M2)	CONNECTION (MM)	WEIGHT	SAND (KG)	PRICE (EURO)
DST FLT001	500mm Sand Filter	9	D 50 (1 1/2")	18	75	290,00 EUR
DST FLT002	650mm Sand Filter	16	D 50 (1 1/2")	22	150	397,00 EUR
DST FLT003	750mm Sand Filter	22	D 63 (2")	32	300	487,00 EUR
DST FLT004	800mm Sand Filter	25	D 63 (2")	34	375	549,00 EUR
DST FLT005	950mm Sand Filter	32	D 63 (2")	40	450	587,00 EUR




CODE	DESCRIPTION	N (MM)	M (MM)	H (MM)	D (MM)
DST FLT001	500mm Sand Filter	300	420	800	500
DST FLT002	650mm Sand Filter	320	440	900	650
DST FLT003	750mm Sand Filter	360	560	1030	750
DST FLT004	800mm Sand Filter	380	580	1080	800
DST FLT005	950mm Sand Filter	380	580	1080	950

DST DREAM COMMERCIAL POLYESTER SAND FILTERS



- DST DREAM POLYESTER COMMERTIAL SAND FILTERS are made of a laminated polyester and reinforced with glass fibers. Filters have 30 different color options.
- A special production technique is used to prevent density differences on the filter surface.
- Maximum Working Pressure 1,96 bar and Test Pressure is 3,92 bar.
- Maximum Working Temperature 40 °C. DST DREAM SAND FILTER bodies have a five-year warranty


CODE	DESCRIPTION	FLOW (M3/H/M2)	CONNECTION (MM)	WEIGHT	SAND (KG)	PRICE (EURO)
DST FLT006	1050mm Sand Filter	43	D 75 (2 1/2")	60	650	1.000,00 EUR
DST FLT007	1250mm Sand Filter	56	D 90 (3")	85	1250	1.250.00 EUR
DST FLT008	1400mm Sand Filter	77	D 110 (4")	190	2000	2.125,00 EUR
DST FLT009	1600mm Sand Filter	100	110-125 (4" - 4 1/2")	230	3000	2.375,00 EUR
DST FLT0010	1800mm Sand Filter	125	D 140 (5")	250	3750	3.000,00 EUR
DST FLT0011	2000mm Sand Filter	150	D 160 (6")	280	4350	3.750,00 EUR
DST FLT0012	2200mm Sand Filter	200	D 160 (6")	320	6000	7.000,00 EUR



CODE	DESCRIPTION	N (MM)	M(MM)	H(MM)	D(MM)
DST FLT006	1050mm Sand Filter	430	930	1500	1050
DST FLT007	1250mm Sand Filter	560	900	1550	1250
DST FLT008	1400mm Sand Filter	650	980	1630	1400
DST FLT009	1600mm Sand Filter	900	1320	1880	1600
DST FLT0010	1800mm Sand Filter	460	1250	1900	1800
DST FLT0011	2000mm Sand Filter	820	1340	2080	2000
DST FLT0012	2200mm Sand Filter	820	1340	2360	2200

DST PRO DREAM POLYESTER SAND FILTERS


- DST PRO DREAM polyester sand filters are manufactured according to DIN standards.
- DST PRO DREAM polyester sand filters are made from a laminated polyester and reinforced with glass fibers.
- Filters manufactured with collector plate + nozzles. Sand level is 1,2m. Filter top cover 250mm and all filters include pressure gauge and purge.
- Filters are manufactured in 12 different diameters and they have 30 different color options. Maximum working pressure 1,96 bar and test pressure is 3.92 bar.
- Maximum working temperature 40 °C. DST PRO DREAM sand filters have a five-year warranty.
- DST PRO DREAM polyester sand filters are compatible with multiport valves.



CODE	VELOCITY (M3/H/M2)	FLOW (M3/H/M2)	F.A(M2)	CONNECTION	WEIGHT (KG)	SAND (KG)	N(MM)	M(MM)	H(MM)	L(MM)	C(MM)	PRICE (EURO)
DSTDFM 650	50	16,5	0,33	1"1/2	70	570	730	125	2145	1200	1200	1.430,00 EUR
DSTDFM 820	50	25	0,5	2"	85	825	670	230	2145	1950	1200	1.980,00 EUR
DSTDFM 950	50	35	0,7	2,5"	120	1275	665	270	2170	1960	1200	2.530,00 EUR

DST PRO DREAM POLYESTER SAND FILTERS


- DST PRO DREAM polyester sand filters are manufactured according to DIN standards.
- DST PRO DREAM polyester sand filters are made from a laminated polyester and reinforced with glass fibers.
- Filters manufactured with collector plate + nozzles. Sand level is 1,2m. Filter top cover 400mm, sight cover for 1050mm and 1250mm is 250mm, for 1400-1600-1800-2000mm and all filters include pressure gauge and purge.
- Filters are manufactured in 12 different diameters and they have 30 different color options. Maximum working pressure 1,96 bar and test pressure is 3.92 bar.
- Maximum working temperature 40 °C. Filters include sight Glass. DST PRO DREAM sand filters have a five-year warranty.
- DST PRO DREAM polyester sand filters are compatible with multiport valves



CODE	VELOCITY (M3/H/M2)	FLOW (M3/H/M2)	F.A(M2)	CONNECTION	WEIGHT (KG)	SAND (KG)	N(MM)	M(MM)	H(MM)	L(MM)	C(MM)	PRICE (EURO)
DSTDFMC 1050	30	25,8	0.86	D 75(2 1/2")	135	1560	665	270	2145	1200	300	3.080.00 EUR
	40	34,4	0.86	D 90(3")	135	1560	665	270	2145	1200	300	3.487.00 EUR
DSTDFMC 1250	30	33,9	1.13	D 90(3")	210	2075	665	270	2170	1200	300	3.630.00 EUR
	40	45,2	1.13	D 110(4")	210	2075	665	270	2170	1200	300	3.960.00 EUR
DSTDFMC 1400	30	46,5	1.55	D 110(4")	260	2300	520	1050	2200	1200	300	5.280.00 EUR
	40	62	1.55	D 125(4 1/2")	260	2300	520	1050	2200	1200	300	5.610.00 EUR
DSTDFMC 1600	30	60,3	2.01	D 125(4 1/2")	320	3000	540	1160	2480	1200	300	6.050.00 EUR
	40	80,04	2.01	D 140(5")	320	3000	540	1160	2480	1200	300	6.600.00 EUR
DSTDFMC 1800	30	76,2	2.54	D 140(5")	380	3800	550	1200	2550	1200	300	7.700.00 EUR
	40	101,6	2.54	D 160(6")	380	3800	550	1200	2550	1200	300	8.580.00 EUR
DSTDFMC 2000	30	94,2	3.14	D 140(5")	450	4675	550	1330	2550	1200	300	9.680.00 EUR
	40	125,6	3.14	D 160(6")	450	4675	550	1330	2550	1200	300	10.450.00 EUR

DST PRO DREAM POLYESTER SAND FILTERS


- DST PRO DREAM polyester sand filters are manufactured according to DIN standards.
- DST PRO DREAM polyester sand filters are made from a laminated polyester and reinforced with glass fibers. Filters manufactured with collector and lateral.
- Sand level is 1,2m. Filter top cover 250mm and all filters include pressure gauge and purge.
- Filters are manufactured in 12 different diameters and they have 30 different color options.
- Maximum working pressure 1,96 bar and test pressure is 3.92 bar. Maximum working temperature 40 °C. DST PRO DREAM sand filters have a five-year warranty.
- DST PRO DREAM polyester sand filters are compatible with multiport valves.



CODE	VELOCITY (M3/H/M2)	FLOW (M3//H)	F.A(M2)	CONNECTION	WEIGHT (KG)	SAND (KG)	N(MM)	M(MM)	H(MM)	L(MM)	PRICE (EURO)
DSTDFYK 650	50	16,5	0,33	1"1/2	70	570	730	125	1900	1200	1.254.00 EUR
DSTDFYK 820	50	25	0,5	2"	85	825	670	230	1950	1200	1.826.00 EUR
DSTDFYK 950	50	35	0,7	2,5"	120	1275	665	270	1960	1200	2.145,00 EUR

DST PRO DREAM POLYESTER SAND FILTERS


- DST PRO DREAM polyester sand filters are manufactured according to DIN standards. DST PRO DREAM polyester sand filters are made from a laminated polyester and reinforced with glass fibers.
- Filters manufactured with collector and lateral. Sand level is 1,0m. Filter top cover 250mm and all filters include pressure gauge and purge.
- Filters are manufactured in 12 different diameters and they have 30 different color options. Maximum working pressure 1,96 bar and test pressure is 3.92 bar.
- Maximum working temperature 40 °C. DST PRO DREAM sand filters have a five-year warranty.
- DST PRO DREAM polyester sand filters are compatible with multiport valves



CODE	VELOCITY (M3/H/M2)	FLOW (M3//H)	F.A(M2)	CONNECTION	WEIGHT (KG)	SAND (KG)	N(MM)	M(MM)	H(MM)	L(MM)	PRICE (EURO)
DSTDFYKK 650	50	16,5	0,33	1 1/2"	70	570	730	125	1900	1200	1.144.00 EUR
DSTDFYKK 820	50	25	0,5	2"	85	825	670	230	1950	1200	1.716.00 EUR
DSTDFYKK 950	50	35	0,7	2 1/2"	120	1275	665	270	1960	1200	2.035,00 EUR

DST PRO DREAM POLYESTER SAND FILTERS

- DST PRO DREAM polyester sand filters are manufactured according to DIN standards. DST PRO DREAM polyester sand filters are made from a laminated polyester and reinforced with glass fibers.
- Filters manufactured with collector with lateral. Sand level is 1,2m. Filter top cover 400mm, sight cover for 1050mm and 1250mm is 250mm, for 1400-1600-1800-2000mm and all filters include pressure gauge and purge.
- Filters are manufactured in 12 different diameters and they have 30 different color options. Maximum working pressure 1,96 bar and test pressure is 3.92 bar.
- Maximum working temperature 40 °C. Filters include sight Glass. DST PRO DREAM sand filters have a five-year warranty.
- DST PRO DREAM polyester sand filters are compatible with multiport valves



FOR DST SAND FILTERS
MULTI WAY VALVE

CODE	TYPE	PRICE
DSTPRV01	1 1/2	50,00 EUR
DSTPRV02	2"	70,00 EUR

CODE	VELOCITY (M3/H/M2)	FLOW (M3/H/M2)	F.A(M2)	CONNECTION	WEIGHT (KG)	SAND (KG)	N(MM)	M(MM)	H(MM)	L(MM)	C(MM)	PRICE (EURO)
DSTDFYKC 1050	30	25,8	0.86	D 75(2 1/2")	135	1560	665	270	2145	1200	300	3.080.00 EUR
	40	34,4	0.86	D 90(3")	135	1560	665	270	2145	1200	300	3.300.00 EUR
DSTDFYKC 1250	30	33,9	1.13	D 90(3")	210	2075	665	270	2170	1200	300	3.410.00 EUR
	40	45,2	1.13	D 110(4")	210	2075	665	270	2170	1200	300	3.630.00 EUR
DSTDFYKC 1400	30	46,5	1.55	D 110(4")	260	2300	520	1050	2200	1200	300	4.950.00 EUR
	40	62	1.55	D 125(4 1/2")	260	2300	520	1050	2200	1200	300	5.280.00 EUR
DSTDFYKC 1600	30	60,3	2.01	D 125(4 1/2")	320	3000	540	1160	2480	1200	300	5.610.00 EUR
	40	80,04	2.01	D 140(5")	320	3000	540	1160	2480	1200	300	6.160.00 EUR
DSTDFYKC 1800	30	76,2	2.54	D 140(5")	380	3800	550	1200	2550	1200	300	7.370.00 EUR
	40	101,6	2.54	D 160(6")	380	3800	550	1200	2550	1200	300	8.140.00 EUR
DSTDFYKC 2000	30	94,2	3.14	D 140(5")	450	4675	550	1330	2550	1200	300	9.350.00 EUR
	40	125,6	3.14	D 160(6")	450	4675	550	1330	2550	1200	300	9.900.00 EUR

• WE HAVE ALTERNATIVE FILTER SAND PLEASE CONTACT US

“Injectrone” HIGH RATE SAND FILTERS





- Made of Injection plastic (PP). The upper and lower parts are joined with a special welding technique.
- As the bed depth is higher than other filter models, the filtration quality is considerably higher.
- Sand water discharge openings are available at both front and rear, installed w/discharge valve.
- Easy to open clear screw lid (2 cm wider than bolted lid). Complete with multiway valve, fittings, and pressure gauge.
- Five years body warranty. Test pressure 3,5 kg/cm², maximum operation pressure 2,5 kg/cm², Maximum filtration rate 50 m³/h/m².



MODEL	0211011	0211012
D (MM)	500	600
H1(MM)	960	1030
H2(MM)	-	-
H3(MM)	910	980
H4(MM)	290	320
H5(MM)	415	445
W (MM)	260	260
CONNECTION (MM)	1 1/2"	1 1/2"
FLOW (M3/H) (50M3/H/M2)	9,81	14,13
SAND(KG)	125	170
WEIGHT(KG)	8.000	11.000

“Injectrone” HIGH RATE SAND FILTERS

“INJECTRONE” HIGH RATE SAND FILTERS	CODE	WEIGHT (KG)	VOLUME (M3)	CONNECTION
O 500MM - 1 1/2 multiport side valve - 10m3 / h	DST 0211011	17	0,18	227,00 EUR
O 600MM - 1 1/2 multiport side valve - 15m3 / h	DST 0211012	27	0,27	244,00 EUR



“INJECTRONE CL” HIGH RATE SAND FILTERS

“INJECTRONE CL” HIGH RATE SAND FILTERS	CODE	WEIGHT (KG)	VOLUME(M3)	CONNECTION
O 500MM - 1 1/2 multiport side valve - 10m3 / h	DST 0211011	17	0,18	227,00 EUR
O 600MM - 1 1/2 multiport side valve - 15m3 / h	DST 0211012	27	0,27	244,00 EUR



- It is injected with glass reinforced plastic (PA) in two parts. Upper and lower parts are integrated with stainless steel clamp.
- Since the depth of sand bed is equal to the height of the lower part, the filter sand can be easily serviced by dismantling the clamp.
- As the bed depth is higher than other filter models, the filtration quality is considerably higher.
- and water discharge openings are available at both front and rear, installed w/discharge valve.
- Complete with multi-way valve, fittings, and pressure gauge.
- Five years body warranty. Test pressure 3,5 kg/cm2, maximum operation pressure 2,5 kg/cm2, Maximum filtration rate 50 m3/h/m2.

MODEL	0211111	0211112
D (MM)	500	600
H1(MM)	890	960
H2(MM)	-	-
H3(MM)	840	910
H4(MM)	290	320
H5(MM)	415	445
W (MM)	260	260
CONNECTION (MM)	1 1/2"	1 1/2"
FLOW(M3/H) (50M3/H/M2)	9,81	14,13
SAND (KG)	100	150
WEIGHT (KG)	8.000	11.000





PUMPS



DST EPHEUSUS POOL PUMP

Ephesus
Self - Priming Centrifugal Pump for Pools



TECHNICAL INFORMATION

Max environment temperature: +50°C

Max water temperature: +50°C

Max working pressure: 2 Bar

Max inlet pressure: Pompa basma vanası kapalı tutulduğunda, giriş basıncı izin verilen maksimum çalışma basıncından düşük olmalıdır.

- EPHEUSUS is a pool pump of horizontal centrifugal structure to provide uninterrupted circulation of water in swimming pools.
- To serve this purpose, it is installed in front of the filter in the pool installment.
- The pump is designed to move about the incoming and the outcoming water from the chlorine disinfected swimming pool.
- It is designed together with a pre-filter in order to protect the pump impeller from substances such as hair that may come from the pool.
- The plastic basket within the pre-filter can be taken out to be cleaned when necessary.

MODEL	MAX VERTICAL SUCTION (WITH BACK FLOW VALVE)	MAX VERTICAL SUCTION (WITHOUT BACK FLOW VALVE)
EPHEUSUS	5 M	4 M

Self-priming: The EPHEUSUS pumps are self-priming up to 4m height.

Noise level:

Noise level of EPHEUSUS pumps are below 70Db

NO	MODEL	PRICE
1	DST EPHEUSUS 0,75 HP. MONO. POOL PUMP	280,00 EUR
2	DST EPHEUSUS 1 HP. MONO. POOL PUMP	300,00 EUR
3	DST EPHEUSUS 1 HP. TRI. POOL PUMP	300,00 EUR
4	DST EPHEUSUS 1,5 HP. MONO. POOL PUMP	310,00 EUR
5	DST EPHEUSUS 1,5 HP. TRI. POOL PUMP	310,00 EUR
6	DST EPHEUSUS 2 HP. MONO. POOL PUMP	380,00 EUR
7	DST EPHEUSUS 2 HP. TRI. POOL PUMP	380,00 EUR
8	DST EPHEUSUS 3 HP. MONO. POOL PUMP	420,00 EUR
9	DST EPHEUSUS 3 HP. TRI. POOL PUMP	420,00 EUR

DST REGNUM POOL PUMP



- REGNUM pool pumps are designed to circulate the conditioned water of public and private swimming pools, spas.

TECHNICAL INFORMATION

MOTOR:

Insulation: Class F

Operation: Continuous

Protection: IP 55

Current: Triphase

R.P.M: 2885 or 3000

Shaft: Stainless Steel (AISI 316)

Bearing: Ball bearing

Atmospheric Temperature: Maximum 40°C (RGJ) 50°C (RGO)

PUMP:

Max water temperature: +50°C

Max working pressure: 2 Bars

Impeller Model: Closed

Type of Seal: Mechanical Retainer

Diffuser: Synthetic Material (FRPP)

Prefilter Lid for FLO Model: Polycarbonate Model

Socket Dia: Socket 110mm

Supply Dia: Socket 110mm

NO	MODEL	PRICE
1	DST REGNUM 3,5 HP. TRI. POOL PUMP	670,00 EUR
2	DST REGNUM 4,5 HP. TRI. POOL PUMP	710,00 EUR
3	DST REGNUM 5,5 HP. TRI. POOL PUMP	740,00 EUR
4	DST REGNUM 7,5 HP. TRI. POOL PUMP	1.000,00 EUR
5	DST REGNUM 10 HP. TRI. POOL PUMP	1.200,00 EUR

PRODUCT	DESCRIPTION	PRICE
PUMP STAND	DST PUMP STAND (PLASTIC)	20,00 EUR





POOL CLEANING EQUIPMENT



“Standart” Automatic Pool Cleaners

DOLPHIN “E 10” AUTOMATIC POOL CLEANERS:



- Designed for residential pools up to 8 m, 24 V motor unit and 12 m cable. Lightweight, easy to carry. Cleaning cycle time 1,5 hours. Automatic program for optimal pool cleaning. With the help of active brush which moves twice times faster than robot, removes the alga and bacteria on the walls and bottom. Easy access and cleaning box-shaped net filter. 2 years warranty.

PRODUCT	CODE	WEIGHT(KG)	PRICE
E10 AUTOMATIC POOL CLEANER	DST 091202	10KG	999,00 EUR

DOLPHIN "S100" AUTOMATIC POOL CLEANERS:



- Self-powered, 12 m cable for pools up to 8 m. The cleaning period is 1,5 hours. Self-programmed for optimal pool cleaning. Prevents algae and bacteria from forming by brushing the entire pool surface with the double brushing system that moves twice as fast as the robot. Cleans the pool floor, walls and waterline. It operates in standard cleaning mode via the new generation energy-saving power unit. Complete with mesh filter for collecting coarse dirt and cartridge filter for finer cleaning. Due to this, filter clogging takes much longer than other robots models. 2 years warranty.

PRODUCT	CODE	WEIGHT(KG)	PRICE
"S100" AUTOMATIC POOL CLEANERS	DST 091208	11KG	1.138,00 EUR

"S200" AUTOMATIC POOL CLEANERS



- Designed for residential pools up to 12 m. 24 V motor unit and 18 m cable. Cleaning cycle time 2 hours. Automatic program for optimal pool cleaning. Cleans the pool surface, walls and waterline. During climbing on the walls, it increases the vacuum according to the slipperiness, prevents to slip down. With patented POWERSTREAM technology, it has the most effective movement and manouvering features. Active brush which moves twice times faster than robot, removes the alga and bacteria on the walls and bottom. It works with standard cleaning mode with new generation energy saving power unit. Complete with 2 layer filtering system, cartridge filter and net filter for coarse dust. The cartridge filter remains clean much longer due to the 2 layer system. 3 years warranty

PRODUCT	CODE	WEIGHT(KG)	PRICE
"S200" AUTOMATIC POOL CLEANERS	DST 091203	12KG	1.311,00 EUR

"S300" AUTOMATIC POOL CLEANERS



- Self-powered, 18 m cable for pools up to 12 m. The cleaning period is 1 and 2 hours. Self-programmed for optimal pool cleaning. Patented POWER STREAM technology has more effective movement maneuvering and cleaning ability of the pool floor, wall and waterline. Prevents algae and bacteria from forming by brushing the entire pool surface with the double brushing system that moves twice as fast as the robot. Cleans the pool floor, walls and waterline. It operates in standard cleaning mode via the new generation energy-saving power unit. Thanks to its new layered filter, it separates the dirt by dimension and traps small and large-sized dirt separately. In this way, filter clogging takes much longer than other robots models. Complete with Caddy. 3 years warranty.

PRODUCT	CODE	WEIGHT(KG)	PRICE
"S300" AUTOMATIC POOL CLEANERS	DST 091209	19KG	1.493,00 EUR

“Standart” Automatic Pool Cleaners

- Designed for residential pools up to 12 m. 24 V motor unit and 18 m cable. Cleaning cycle time can be adjustable 1, 1.5, 2 or 2.5 hours. Automatic program for optimal pool cleaning. Cleans the pool surface, walls and waterline. During climbing on the walls, it increases the vacuum according to the slipperiness and prevents to slip down. With patented POWERSTREAM technology, it has the most effective movement and manouvering features. Active brush which moves twice times faster than robot, removes the algea and bacteria on the walls and bottom. It has different cleaning modes; fast, standard, ultra-clean, floor only and waterline

"S300i" AUTOMATIC POOL CLEANERS



- Weekly timer and delayed start can be adjusted. it seperates the debris according to their sizes inside the 2 layer filtering system; net filter for coarse, cartridge filter for finer debris. It can be remote controlled with “Mydolphin” application via smartphones. Complete with caddy. 3 years warranty.

PRODUCT	CODE	WEIGHT(KG)	PRICE
"S300i" AUTOMATIC POOL CLEANERS	DST 091204	19KG	1.626,00 EUR

“M Series” Automatic Pool Cleaners

DOLPHIN “M200” AUTOMATIC POOL CLEANERS



- Self-powered, 70-micron filter, 18 m cable, 24 V motor, 16 m3/h flow rate. Designed for home pools up to 10 m. The cleaning period is 3 hours. Self-programmed for optimal pool cleaning. Cleans the pool floor and the difficult to reach corners where the floor meets the pool wall. Patented Tangle Free Cable swivel system to avoid cable damage due to bending. Complete with caddy. 2 years warranty. NOTE: WALL CLIMBING IS NOT SUPPORTED BY THE M200. IF WALL CLEANING IS IMPORTANT, THE LOWEST MODEL THAT SHOULD BE SELECTED IS S200.

PRODUCT	CODE	WEIGHT(KG)	PRICE
"M200" AUTOMATIC POOL CLEANERS	DST 091171	16KG	1.095,00 EUR

DOLPHIN “M400” AUTOMATIC POOL CLEANERS



Kendinden motorlu, düşük mikronlu kartuş ya da ağ filtreli, 18 m kablolu, 24 V motorlu, 16 m3/h debili. 10 - 12 m boy arası ev havuzları için tasarlanmıştır. Temizlik periyodu 2.5 saattir. Optimal havuz temizliği için kendinden programlıdır. Mikroprosesör kontrollüdür. Havuz duvarlarına su hattına kadar tırmanır. Patentli Fırdöndü sistemi ile kablo kıvrılmasına bağlı hasarı engeller. Trafo üzerinden ‘Günde bir, iki günde bir ve üç günde bir’ seçenekleriyle haftalık programlama imkanı sunulmuştur. MyDolphin Plus akıllı telefon uygulaması ile internet üzerinden elle kullanım ve haftalık programlama imkanı sunar. Filtrelere üstten kolay ulaşım imkanı. Daha üstün temizlik için süngerlerden 2 kat hızlı dönen aktif fırça. Kullanıcı tarafından kolaylıkla değiştirilebilir paletler. “ÇİFT HAREKET AKSI VE CAYROSKOP TEKNOLOJİSİ İLE ÇOK DAHA ETKİN HAVUZ TARAMA”. ARABASI İLE KOMPLE. 3 yıl garantilidir.

PRODUCT	CODE	WEIGHT(KG)	PRICE
"M400" AUTOMATIC POOL CLEANERS	DST 091181	24KG	1.665,00 EUR

“M Series” Automatic Pool Cleaners

New generation user-friendly with remote control power unit for setup and programming. Self-powered. Interchangeable low micron filter or mesh filter to remove both rough and fine dirt. 18 m cable, 24 V motor, 16 m³/h flow rate. Designed for home pools between 12-15 m in length. The cleaning period can be set as 2, 3, 4 hours. Self-programmed for optimal pool cleaning. Microprocessor controlled.

DOLPHIN “M500” AUTOMATIC POOL CLEANERS



Climbs up to the pool walls to the waterline. With the patented Tangle Free Cable Swivel System, to prevent cable damage due bending. A wide range of options for cleaning programs and parameters can be set with the new generation remote control and ‘My Dolphin’ application which can be installed on smartphones e.g. Cycle time, Climbing frequency, Standard or Ultra cleaning. When the filter is clogged, it gives a cleaning signal on the power unit. Easy access to the filters from the top. Using the WiFi My Dolphin Plus application, users can intervene at anytime, from anywhere; e.g. cleaning modes, delayed time, and weekly timer settings can be made. Filter panels are easily changed by the user. “HIGHLY ACCURATE POOL SCANNING WITH GYROSCOPE TECHNOLOGY”. Complete with caddy. 3 year warranty.

PRODUCT	CODE	WEIGHT(KG)	PRICE
"M500" AUTOMATIC POOL CLEANERS	DST 091182	24KG	2.137,00 EUR

Self-powered. 18 m cable, designed for pools up to 15 m. Cleaning cycle can be programmed as 1.5, 2, 2.5 hours for optimal cleaning. With its patented DUAL DRIVE POWERSTREAM technology, it offers more effective movement, maneuvering and cleaning ability to the pool floor, wall and waterline.

DOLPHIN “M600” AUTOMATIC POOL CLEANERS



Prevents algae and bacteria from forming by brushing the entire pool surface with the double speed brushing system that moves two times faster than the robot. It is available with fast, standard, ultra-clean cleaning options. Thanks to its new layered filter, it separates the dirt particles by dimension and traps small and large-sized dirt separately. Thus, filter clogging takes longer than other models. It can be remotely controlled with the My Dolphin Plus application, which can be installed on smartphones, and allows the user to intervene on the internet anytime and anywhere; adjusting cleaning modes, delayed time settings and weekly timer settings etc. Complete with caddy. 3 year warranty.

PRODUCT	CODE	WEIGHT(KG)	PRICE
"M600" AUTOMATIC POOL CLEANERS	DST 091183	24KG	2.372,00 EUR

Automatic Pool Cleaners for Special Pools

DOLPHIN “BIO-S” AUTOMATIC POOL/POND CLEANERS



Designed especially for 15 m Ecologic/ Natural Swimming Pools and Ponds. 18 m cable, patented swivel technology avoids the harm caused by cable bend. Cleaning cycle time can be selected 2, 3 or 4 hours. Next to 70 micron cartridge filter, there is an additional vacuum line that can connect to filtration system for the accumulation of the extra rough dirt. Thus, while rough dirt such as leaves and mud are kept in a central filter, small size dirt kept in cartridge filter. GEMAS Portable Vacuum Cleaners (see. Pg 211) can provide an effective and automatic cleaning in a pool that has no vacuum line. For better cleaning, standard extra 3rd brush. It's complete with user-friendly remote control and power unit. Complete with caddy. 2 year warranty

PRODUCT	CODE	WEIGHT(KG)	PRICE
"BIO-S" AUTOMATIC POOL CLEANERS	DST 091211	24KG	3.900,00 EUR

Automatic Pool Cleaners for Commercial Pools

DOLPHIN "2 X 2 PRO GYRO" AUTOMATIC POOL CLEANER:



New generation user friendly remote control and power supply. Two 50 micron self filters either disposable or permanent, 40 m cable, 24 V motor unit, 32 m³/h flow rate. Designed for commercial pools up to 60 m. Cleaning cycle time can be selected as 4, 6 or 8 hours. Gyroscope navigation provides precise pool scanning. Different cleaning modes and parameters can be selected for optimal pool cleaning; cycle time, pool length, climbing frequency, regular or ultra cleaning, water line definition. Climbs the pool walls and water lines. Warning signal when filter is blocked. Complete with caddy and remote control. 2 year warranty.

PRODUCT	CODE	WEIGHT(KG)	PRICE
"2X2 PRO GYRO" AUTOMATIC POOL CLEANER	DST 091151	44KG	7.682,00 EUR

DOLPHIN "WAVE 30" AUTOMATIC POOL CLEANER:



Effective pool scanning with double motion axle. 70 micron "permanent" or "disposable" type filters. 18 m cable. 16 m³/h flow rate, 24 V motor. Design for pools up to 15 m. Patented swivel system avoids the harm caused by cable bend. Cleaning cycle time is 3 hours. Climbing frequency is 8 minutes. Complete with Caddy. 3 year warranty

PRODUCT	CODE	WEIGHT(KG)	PRICE
"WAVE 30" AUTOMATIC POOL CLEANER	DST 091201	44	2.456,00 EUR

DOLPHIN "C4" AUTOMATIC POOL CLEANER:



New generation user-friendly remote control power unit. Designed for pools up to 20 m. Self-powered, low micron cartridge or mesh filter, 24 m cable, 24 V motor, 17 m³/h flow rate. The cleaning period can be set as 1.5, 2.5, 3.5 hours. Non-deflection pool scanning powered by gyroscope technology. Self-programmed and microprocessor-controlled for optimal pool cleaning. Climbs up the pool wall. It signals when its filter is clogged. Easy access to the filters from the top. Complete with caddy. 2 year warranty.

PRODUCT	CODE	WEIGHT(KG)	PRICE
"C4" AUTOMATIC POOL CLEANER	DST 091172	24KG	2.875,00 EUR

DOLPHIN "WAVE 50" AUTOMATIC POOL CLEANER:



Effective pool scanning in 4 hours, with the double motion axle. 70 micron "permanent" or "disposable" type filters. 24 m cable. 16 m³/h flow rate, 24 V motor. Design for pools up to 20 m. Patented swivel system avoids the harm caused by cable bend. Cleaning cycle time is 3 hours. Climbing frequency is 8 minutes. Complete with Caddy. 3 year warranty.

PRODUCT	CODE	WEIGHT(KG)	PRICE
"WAVE50" AUTOMATIC POOL CLEANER	DST 091122	23KG	2.788,00 EUR

Automatic Pool Cleaners for Commercial Pools

DOLPHIN "WAVE 100" AUTOMATIC POOL CLEANER:



New generation user-friendly remote control and power unit. Effective pool scanning in 4 hours, with the double motion axle. 70 micron "permanent" or "disposable" type filters. 24 m cable. 16 m³/h flow rate, 24 V motor. Design for pools up to 25 m. Patented swivel system avoids the harm caused by cable bend. Cleaning cycle time is 3 hours. Climbing frequency is 8 minutes. Complete with Caddy. 3 year warranty

PRODUCT	CODE	WEIGHT(KG)	PRICE
"WAVE100" AUTOMATIC POOL CLEANER	DST 091142	25KG	3.963,00 EUR

DOLPHIN "WAVE 200" AUTOMATIC POOL CLEANER:



It provides professional cleaning for pools up to 40 m. It separates the dust inside the water to 3 different sizes and increases filtration area by cycling the water. All filter layers can be separated and used individually. With the help of Man-Machine Interface (MMI), specifications of the pool can be installed and max performance is obtained. With the navigation system, the robot has the most accurate navigating capabilities. Active brushes, prevents the algae and bacteria growth. 40 m³/h flow rate. Geometric design of monoblock brushes, pushes the dirt directly to vacuum holes. The specifications of MMI, navigation system and 4 of different pool memory are identical with Wave 300XL. Complete with Caddy. 2 year warranty.

PRODUCT	CODE	WEIGHT(KG)	PRICE
"WAVE200" AUTOMATIC POOL CLEANER	DST 091207	91KG	10.187,00 EUR

DOLPHIN "WAVE 300 XL" AUTOMATIC POOL CLEANER:




50 micron three different types of filters; standard, coarse and disposable. Complete with caddy, user friendly interactive control panel, and remote control. Designed for commercial pools up to 60 m. scanning guarantee for 100% of the pool with the navigation technology that is used for the first time in automatic pool cleaners. Can memorize four different pools. Complete with Caddy. 2 year warranty.

PRODUCT	CODE	WEIGHT(KG)	PRICE
"WAVE 300XL" AUTOMATIC POOL CLEANER	DST 091161	101KG	14.599,00 EUR

POOL CLEANING EQUIPMENT

ALUMINUM FLAT CLEANER (CLIP - TYPE)			
IMAGE	CODE	TYPE OF MATERIAL	PRICE
	DSTSP01	1 1/2" Flat Modal Cleaner	42,00 EUR
	DSTSP02	2" Flat Modal Cleaner	48,00 EUR

ALUMINUM FLAT CLEANER (BOLTED TYPE)			
IMAGE	CODE	TYPE OF MATERIAL	PRICE
	DSTSP01 -C	1 1/2" Flat Modal Cleaner	42,00 EUR
	DSTSP02 -C	2" Flat Modal Cleaner	48,00 EUR

ALUMINUM TELESCOPIC HANDLE			
IMAGE	CODE	TYPE OF MATERIAL	PRICE
	DSTTS01	2X2 Telescopic Handle	30,00 EUR
	DSTTS02	2X3 Telescopic Handle	35,00 EUR
	DSTTS03	2X4 Telescopic Handle	50,00 EUR
	DSTTS04	3X3 Telescopic Handle	55,00 EUR

VACUUM HOSE			
IMAGE	CODE	TYPE OF MATERIAL	PRICE
	DSTEVA01	1 1/2" Vakum Hortumu	5,00 EUR
	DSTEVA02	2" Vakum Hortumu	7,00 EUR

HOSE ADAPTERS			
IMAGE	CODE	TYPE OF MATERIAL	PRICE
	DSTHU01	1 1/2" Hose Adapter	5,00 EUR
	DSTHU02	2" Hose Adapter	7,00 EUR
	DSTLB01	ABS - 1 1/2" Hose Nozzle	7,00 EUR
	DSTLB02	ABS 1 1/2" - 2"Hose Nozzle	7,00 EUR

POOL CLEANING EQUIPMENT

DST BRUSHES						
IMAGE	CODE	TYPE OF MATERIAL	PACKAGE	WEIGHT(KG)	VOLUME	PRICE
	DSTF1	Short Type Brush	24	4,8	0,028	10,00 EUR
	DSTF2	Curved Long Type Brush	24	6,6	0,049	12,00 EUR
	DSTF9	Corner Brush	24	3	0,033	10,00 EUR

DST DEEP TYPE LEAF SCOOP						
IMAGE	CODE	TYPE OF MATERIAL	PACKAGE	WEIGHT(KG)	VOLUME	PRICE
	DSTF1	Lux Leaf Scoop	12	6	0,083	15,00 EUR

DST THERMOMETERS				
IMAGE	CODE	TYPE OF MATERIAL	PACKAGE	PRICE
	DSTTM01	Economic Floating Type Thermometers	1	5,00 EUR
	DSTTM02	Economic Thermometers	1	20,00 EUR
	DSTTM03	Floating Type Thermometers	1	20,00 EUR

DST Test Kits

DST Test kits are used to analyze the chlorine and PH values of the pools.
There are two types of test kits, liquid and tablet.

DST TEST KITS				
IMAGE	CODE	TYPE OF MATERIAL	BOX/PIECES	PRICE
	DSTTK01	TABLET	1	15,00 EUR
	DSTTK01	LIQUID	1	12,00 EUR



POOL CHEMICALS

POOL CHEMICALS

AQUA LIFE POOL CHEMICALS		
IMAGE	TYPE OF MATERIAL	WEIGHT(KG)
	GRANULE CHLOR 56 (56 LIKE CHLORINE STABILIZER)	50
	GRANULE CHLOR 56 (56 LIKE CHLORINE STABILIZER)	25
	GRANULE CHLOR 56 (56 LIKE CHLORINE STABILIZER)	50 (PLASTIC BARREL)
	GRANULE CHLOR 90 (90 LIKE CHLORINE STABILIZER)	50
	GRANULE CHLOR 90 (90 LIKE CHLORINE STABILIZER)	25
	GRANULE CHLOR 90 (90 LIKE CHLORINE STABILIZER)	50 (PLASTIC BARREL)
	CHLOR TAB TABLET CHLORINE (WITH STABILIZER)	50
	CHLOR TAB TABLET CHLORINE (WITH STABILIZER)	25
	MINUS (DUST PH REDUCER)	25
	MINUS (DUST PH REDUCER)	25 (BAG)
	ALGAECIDE	20
	FLOCK (LIQUID EXTRACTOR)	20
	CLEANSE	20

AUXILIARY POOL CHEMICALS		
IMAGE	TYPE OF MATERIAL	WEIGHT (KG)
	MULTI TABLET CHLORINE (3 EFFECTIVE TABLET CHLORINE)	50
	70% CALCIUM HYPOCHLORIDE (WITHOUT STABILIZER)	40
	ACID - (POWDER) (FILTER CLEANER)	25
	PH + PLUS (PH BOOSTER)	25
	HYDRO- (SURFACE CLEANER)	20

PLEASE ASK PRICE FOR POOL CHEMICALS




POOL
LADDERS

DST POOL LADDERS

DST Pool Ladders are manufactured three types as Standard, Muro and Mixto with 2,3,4, and 5-step options, which are obtained by using stainless steel.(316 and 304).


STANDARD LADDERS



CODE (AISI 304)	Step	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	PRICE
DST MRD01	2	650	620	250	710	180	500	170,00 EUR
DST MRD02	3	650	620	250	960	180	500	180,00 EUR
DST MRD03	4	650	620	250	1210	180	500	190,00 EUR
DST MRD04	5	650	620	250	1460	180	500	215,00 EUR
CODE (AISI 316)	Step	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	PRICE
DST MRD013	2	650	620	250	710	180	500	260,00 EUR
DST MRD014	3	650	620	250	960	180	500	290,00 EUR
DST MRD015	4	650	620	250	1210	180	500	320,00 EUR
DST MRD016	5	650	620	250	1460	180	500	350,00 EUR

DST POOL LADDERS


"MURO" LADDERS



CODE (AISI 304)	Step	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	PRICE
DST MRD05	2	350	620	250	710	180	500	170,00 EUR
DST MRD06	3	350	620	250	960	180	500	180,00 EUR
DST MRD07	4	350	620	250	1210	180	500	190,00 EUR
DST MRD08	5	350	620	250	1460	180	500	215,00 EUR
CODE (AISI 316)	Step	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	PRICE
DST MRD017	2	350	620	250	710	180	500	260,00 EUR
DST MRD018	3	350	620	250	960	180	500	290,00 EUR
DST MRD019	4	350	620	250	1210	180	500	320,00 EUR
DST MRD020	5	350	620	250	1460	180	500	350,00 EUR

DST POOL LADDERS

"MIXTO" LADDERS



CODE (AISI 316)	Step	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	G(mm)	PRICE
DST MRD09	2	350	620	250	710	180	500	520	170,00 EUR
DST MRD010	3	350	620	250	960	180	500	520	180,00 EUR
DST MRD011	4	350	620	250	1210	180	500	520	190,00 EUR
DST MRD12	5	350	620	250	1460	180	500	520	215,00 EUR
CODE (AISI 316)	Step	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	G(mm)	PRICE
DST MRD017	2	350	620	250	710	180	500	520	260,00 EUR
DST MRD018	3	350	620	250	960	180	500	520	290,00 EUR
DST MRD019	4	350	620	250	1210	180	500	520	320,00 EUR
DST MRD020	5	350	620	250	1460	180	500	520	350,00 EUR



WATER CURTAINS



DST WATER CURTAINS

DST WATER CURTAINS are manufactured from stainless steel(AISI 316) in different models and sizes.

CURTAIN OF WATER LUX			
IMAGE	CODE	SIZE	PRICE
	DSTDPE01	1000 X 400	1.408,00 EUR
	DSTDPE02	1000 X 500	1.525,00 EUR
	DSTDPE03	1000 X 600	1.643,00 EUR

CURTAIN OF WATER COBRA			
IMAGE	CODE	SIZE	PRICE
	DSTDPE04	350 X 350	800,00 EUR
	DSTDPE05	800 X 600	1.130,00 EUR
	DSTDPE06	900 X 600	1.400,00 EUR

CURTAIN OF WATER SWAN			
IMAGE	CODE	SIZE	PRICE
	DSTDPE07	1000 X 400	850,00 EUR
	DSTDPE08	1000 X 600	970,00 EUR

CURTAIN OF WATER STANDART			
IMAGE	CODE	SIZE	PRICE
	DSTDPE09	1000 X 400	850,00 EUR
	DSTDPE10	1000 X 500	1.260,00 EUR
	DSTDPE11	1000 X 600	1.400,00 EUR

WALL TYPE CURTAIN OF WATER			
IMAGE	CODE	SIZE	PRICE
	DSTDPE12	137 X 300	485,00 EUR
	DSTDPE13	137 X 500	610,00 EUR

INTRA - WALL WATER CURTAIN			
IMAGE	CODE	SIZE	PRICE
	DSTDPE14	65 X 500	730,00 EUR



CORNER PIECES & GRATINGS



DST GRATING & CORNER PIECES

DST corner pieces, single and double spine gratings are manufactured in sizes of 15,20,25 and 30 meters, in standard and many different models, which are obtained by using by high quality raw materials.

SINGLE SPINE GRATING			
IMAGE	CODE	SIZE	PRICE
	DSTIZG001	15cm	7,00 EUR
	DSTIZG002	20cm	8,00 EUR
	DSTIZG003	25cm	10,00 EUR
	DSTIZG007	30cm	17,00 EUR

DOUBLE SPINE GRATING			
IMAGE	CODE	SIZE	PRICE
	DSTIZG004	20cm	8,00 EUR
	DSTIZG005	25cm	10,00 EUR
	DSTIZG006	30cm	17,00 EUR

45° CORNER PIECE			
IMAGE	CODE	SIZE	PRICE
	DSTKP01	15cm	7,00 EUR
	DSTKP02	20cm	8,00 EUR
	DSTKP03	25cm	10,00 EUR
	DSTKP04	30cm	20,00 EUR

90° CORNER PIECE			
IMAGE	CODE	SIZE	PRICE
	DSTKP05	15cm	7,00 EUR
	DSTKP06	20cm	8,00 EUR
	DSTKP07	25cm	10,00 EUR
	DSTKP08	30cm	20,00 EUR



NOZZLES

DST POOL NOZZLES



BASE NOZZLE (FLOW ADJUSTABLE)			
IMAGE	CODE	SIZE	PRICE
	DSTYBN01	D-63	3,00 EUR
	DSTYBN02	D-50	3,00 EUR

SIDE NOZZLE (WALL)			
IMAGE	CODE	SIZE	PRICE
	DSTTBN01	D-63	3,00 EUR
	DSTTBN02	D-50	3,00 EUR

VACUUM NOZZLE			
IMAGE	CODE	SIZE	PRICE
	DSTVN01	D-63	3,00 EUR
	DSTVN02	D-50	4,00 EUR

MAIN DRAIN			
IMAGE	CODE	SIZE	PRICE
	DSTKDI 01	200 X 200 cm	12,00 EUR
	DSTKDI 02	250 X 250 cm	15,00 EUR
	DSTKDI 03	410 X 410 cm	75,00 EUR



POOL LIGHTS



DST POOL LIGHTS


The frame is made of white ABS plastic, without chassis. Complete with polycarbonate lamp body with LED in various numbers and powers, epoxy PCB and 2.5 m long, 2 x 1.5 cable embedded in special transparent resin.

DST POOL LIGHTS					
IMAGE	CODE	TYPE OF MATERIAL	WEIGHT (KG)	VOLUME(M2)	PRICE
	DSTECOL01	72 LED White - 23 W	0,835	0,005	32,00 EUR
	DSTECOL02	72 LED Day Light - 23 W	0,835	0,005	32,00 EUR
	DSTECOL03	72 LED Turquoise - 20 W	0,835	0,005	32,00 EUR
	DSTECOL04	72 LED Blue- 20 W	0,835	0,005	32,00 EUR
	DSTECOL05	72 LED Red - 20 W	0,835	0,005	32,00 EUR
	DSTECOL06	72 LED Green - 20 W	0,835	0,005	32,00 EUR
	DSTECORGB01	72 LED RGB-SELF-INTEGRATED 20W	0,835	0,005	57,00 EUR
	DSTECORGB02	72 LED RGB-CENTER INTEGRATED 20W	0,835	0,005	44,00 EUR
	DSTKVN01	BEYAZ ABS STANDARD LAMP BASE	-	-	15,00 EUR

NOZBART®

POOL LIGHTS

ALTIN ORAN SMD LED POOL LAMP

IMAGE	CODE (ABS)	Color	Led	Lumen	Volt	Watt	PRICE
	ALOR-101	Beyaz	120	3600	AC/DC 12 V	32 W	59,00 EUR
	ALOR-102	Güneşiği	120	3600	AC/DC 12 V	32 W	59,00 EUR
	ALOR-103	Mavi	120	2400	AC/DC 12 V	32 W	59,00 EUR
	ALOR-104	RGB	96	3200	DC 12 V	30 W	72,00 EUR
	CODE (CHROME)	Color	Led	Lumen	Volt	Watt	PRICE
	ALOR-101K	Beyaz	120	3600	AC/DC 12 V	32 W	68,80 EUR
	ALOR-102K	Güneşiği	120	3600	AC/DC 12 V	32 W	68,80 EUR
	ALOR-103K	Mavi	120	2400	AC/DC 12 V	32 W	68,80 EUR
	ALOR-104K	RGB	96	3200	DC 12 V	30 W	81,80 EUR

ALTIN ORAN LINER KIT

CODE	PRICE
ALOR-K01	27,30 EUR

ALTIN ORAN PANEL POLYESTER KIT

CODE	PRICE
ALOR-K02	28,30 EUR

NOZBART®

POOL LIGHTS

İŞİL SERIES SMD LED POOL LAMP

IMAGE	CODE (ABS)	Color	Led	Lumen	Volt	Watt	PRICE
	NIA-101	Beyaz	120	3600	AC/DC 12 V	32 W	59,00 EUR
	NIA-102	Günüşiği	120	3600	AC/DC 12 V	32 W	59,00 EUR
	NIA-103	Mavi	120	2400	AC/DC 12 V	32 W	59,00 EUR
	NIA-104	RGB	96	3200	DC 12 V	30 W	72,00 EUR
	CODE (CHROME)	Color	Led	Lumen	Volt	Watt	PRICE
	NIA-101K	Beyaz	120	3600	AC/DC 12 V	32 W	68,80 EUR
	NIA-102K	Günüşiği	120	3600	AC/DC 12 V	32 W	68,80 EUR
	NIA-103K	Mavi	120	2400	AC/DC 12 V	32 W	68,80 EUR
	NIA-104K	RGB	96	3200	DC 12 V	30 W	81,80 EUR

İŞİL SERIES LED LINER KIT

CODE	PRICE
NIA-K01	27,30 EUR

İŞİL SERIES LED / POLYESTER KIT

CODE	PRICE
NIA-K02	28,30 EUR

İŞİL SERIES SMD LED PAR56 COMPATIBLE LIGHT BULB

IMAGE	CODE	Color	Led	Lumen	Volt	Watt	PRICE
	NIA-201	Beyaz	120	3600	AC/DC 12 V	32 W	58,50 EUR
	NIA-202	Günüşiği	120	3600	AC/DC 12 V	32 W	58,50 EUR
	NIA-203	Mavi	120	2400	AC/DC 12 V	32 W	58,50 EUR
	NIA-204	RGB	96	3200	DC 12 V	30 W	71,50 EUR

İŞİL SERIES SMD LED PAR56 CAGED POOL LAMP

IMAGE	CODE (ABS)	Color	Led	Lumen	Volt	Watt	Kelvin	PRICE
	NIA-301	Beyaz	120	3600	AC/DC 12 V	32 W	6500 K	92,30 EUR
	NIA-302	Günüşiği	120	3600	AC/DC 12 V	32 W	3000 K	92,30 EUR
	NIA-303	Mavi	120	2400	AC/DC 12 V	32 W	450 - 460nm	92,30 EUR
	NIA-304	RGB	96	3200	DC 12 V	30 W	R(620-630nm) G(520-530nm) B(460-475nm)	105,30 EUR
	KOD (KROM)	Renk	Led	Lümen	Volt	Watt	Kelvin	FİYAT
	NIA-301K	Beyaz	120	3600	AC/DC 12 V	32 W	6500 K	102,10 EUR
	NIA-302K	Günüşiği	120	3600	AC/DC 12 V	32 W	3000 K	102,10 EUR
	NIA-303K	Mavi	120	2400	AC/DC 12 V	32 W	450-460nm	102,10 EUR
	NIA-304K	RGB	96	3200	DC 12 V	30 W	R(620-630nm) G(520-530nm) B(460-475nm)	115,10 EUR

NOZBART®

POOL LIGHTS

IŞIL SMD LED PAR56 CASED POOL LAMP	
CODE LINER (ABS)	PRICE
NIA-401	115,20 EUR
NIA-402	115,20 EUR
NIA-403	115,20 EUR
NIA-404	128,20 EUR

IŞIL SMD LED PAR56 CASED POOL LAMP	
CODE LINER (CHROME)	PRICE
NIA-401K	125,00 EUR
NIA-402K	125,00 EUR
NIA-403K	125,00 EUR
NIA-404K	138,00 EUR

IŞIL SERIES SMD LED PAR56 POOL LAMP WITHOUT FRAME							
IMAGE	CODE (ABS)	Color	Led	Lumen	Volt	Watt	PRICE
	NIA-501	Beyaz	120	3600	AC/DC 12 V	32 W	79,90 EUR
	NIA-502	Güneşli	120	3600	AC/DC 12 V	32 W	79,90 EUR
	NIA-503	Mavi	120	2400	AC/DC 12 V	32 W	79,90 EUR
	NIA-504	RGB	96	3200	DC 12 V	30 W	92,80 EUR
	CODE (CHROME)	Color	Led	Lumen	Volt	Watt	PRICE
	NIA-501K	Beyaz	120	3600	AC/DC 12 V	32 W	89,70 EUR
	NIA-502K	Güneşli	120	3600	AC/DC 12 V	32 W	89,70 EUR
	NIA-503K	Mavi	120	2400	AC/DC 12 V	32 W	89,70 EUR
	NIA-504K	RGB	96	3200	DC 12 V	30 W	102,60 EUR

POWER LED COLORFUL ANIMATION BOX WITH REMOTE CONTROLLER							
IMAGE	CODE	POWER	ENTER	EXIT	SIZE	LAMP PIECES	PRICE
	PAN-001	350 W	220 AC	12V DC	30 X 40	10	496,00 EUR
	PAN-002	350 W	220 AC	12V DC	30 X 40	20	778,00 EUR
	PAN-003	350 W	220 AC	12V DC	50 X 70	30	1.066,00 EUR
	PAN-004	350 W	220 AC	12V DC	50 X 70	50	1.720,00 EUR
	PAN-005	350 W	220 AC	12V DC	50 X 70	90	2.995,00 EUR



PVC

ADHESIVES

DST FAST-1 PVC ADHESIVES

DST F-1 adhesives play a major role in the fast and accurate implementation of the mechanical assembly.

The system becomes operational 15-20 minutes after the adhesive is applied. T

here are brushes in our 1 kg packages and you can easily make your PVC assemblies.

The shelf life of our products is 2 years.



DST FAST - 1 RIGID PVC - U ADHESIVE

IMAGE	CODE	TYPE OF MATERIAL	BOX / PIECES	PRICE
	DSTF101	TRANSPARENT	1	16,00 EUR
	DSTF102	GREY	1	16,00 EUR




INCEDOĞAN
POOL SAUNA SPA DESIGN

Thank you for your trust
in us for more than 30 years

WWW.INCEDOGAN.COM.TR

INCEDOGAN@INCEDOGAN.COM.TR



follow us

@incedoganhavuz

